



TYPICAL PROPERTIES

Total Base Number	8
Density, g/cm3 @ 15.6°C	0.855
Flash Point, COC	220°C
Viscosity	
Kinematic, cSt @ 40°C	38
Kinematic, cSt @ 100°C	8.1
Viscosity Index	168
Cold Crank, -35°C	5500 cP

HyperDrive KXR

OW20 Fully Synthetic Engine Oil

CODE: KXEEC51

Fully Synthetic OW/20 is a multigrade engine oil based on synthetic base stocks and formulated with the very latest in advanced technology, producing a super high performance engine oil which delivers excellent fuel economy. Fully Synthetic OW/20 has been developed to provide outstanding lubrication performance in up-to-date multi-valve power units which, due to their advanced design, require the use of lower viscosity multigrade engine oils whilst also providing improved film strength and oxidation stability.

FEATURES / BENEFITS

- Effective fuel efficiency
- Excellent high and low temperature performance
- Exceptional long term anti-wear characteristics
- Very high standard of engine cleanliness
- Long lasting dispersant performance and corrosion protection
- Excellent sludge control for stop-go city motoring
- High temperature protection against ring sticking, ensuring oil performance and reduced oil consumption and low emissions

PERFORMANCE / SPECIFICATIONS

- API SN/CF
- ACEA A5-12/B5-12
- Ilsac GF5
- Dexos 1
- GM 4718M

AVAILABILITY













Values are typical of current production, and whilst future production will meet these specifications, some variation in typical data may occur