

## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : LUKOIL GENESIS SPECIAL 5W-40  
Product code : 563002

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Engine oil  
stance/Mixture

#### 1.3 Details of the supplier of the safety data sheet

Company : Lukoil Lubricants Europe Oy  
Ölhafen Lobau – Uferstr. 8  
1220 Wien  
Austria

Telephone : +43 (1) 205 222 - 8800  
Responsible/issuing person : info.product-safety@lukoil.com

#### 1.4 Emergency telephone number

Telephone : +43 (1) 205 222 – 8800  
(5d/08:00 – 17:00)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

##### Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Hazard statements	: H319 H412	Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Precautionary statements	: <b>Prevention:</b> P264 P273 P280 <b>Response:</b> P305 + P351 + P338  P337 + P313  <b>Disposal:</b> P501	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Material can create slippery conditions.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mixture  
Hydrocarbons  
Additives

#### Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. :				
lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	baseoil - unspecified 276-738-4			>= 50 - <= 60
lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	baseoil - unspecified 276-738-4		Asp. Tox.1; H304	>= 20 - <= 30
bis(nonylphenyl)amin	36878-20-3	R53	Aquatic Chronic4;	>= 1 - < 10

## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

e	253-249-4		H413	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	93819-94-4 298-577-9	Xi; R38-R41 N; R51/53	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic2; H411	>= 1 - < 2,5

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : First aider needs to protect himself.
- If inhaled : If breathed in, move person into fresh air.  
Move to fresh air in case of accidental inhalation of vapours.
- In case of skin contact : Wash skin thoroughly with soap and water or use recognized skin cleanser.  
If on clothes, remove clothes.
- In case of eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.  
Obtain medical attention.  
When symptoms persist or in all cases of doubt seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Gastrointestinal discomfort  
Stomach/intestinal disorders  
Vomiting  
Pneumonia  
irritant effects
- Risks : May cause eye irritation.  
Risk of product entering the lungs on vomiting after ingestion.  
Aspiration may cause pulmonary oedema and pneumonitis.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Later control for pneumonia and lung oedema.

## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Dry powder  
Foam  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Vapours are heavier than air and may spread along floors.  
Vapours may form explosive mixtures with air.  
Cool closed containers exposed to fire with water spray.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Extinguishing media - large fires Complete suit protecting against chemicals

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep people away from and upwind of spill/leak.  
Use personal protective equipment.  
First aider needs to protect himself.  
Avoid contact with skin, eyes and clothing.  
Ensure adequate ventilation, especially in confined areas.  
The danger areas must be delimited and identified using relevant warning and safety signs.  
Refer to section 15 for specific national regulation.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage.  
Avoid subsoil penetration.  
Do not contaminate water.  
Prevent product from entering drains.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.  
Soak up with oil absorbent material.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Offer surplus and non-recyclable solutions to a licensed disposal company.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |   |   |
|---|---|
| Advice on safe handling                         | : Take care to avoid waste and spillage when weighing, loading and mixing the product.<br>Avoid formation of aerosol.<br>Use only in area provided with appropriate exhaust ventilation.<br>Provide exhaust ventilation close to floor level.<br>Do not get on skin or clothing.<br>Avoid inhalation, ingestion and contact with skin and eyes.   |
| Advice on protection against fire and explosion | : To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded.<br>Vapours are heavier than air and may spread along floors.<br>Vapours may form explosive mixtures with air.<br>Take measures to prevent the build up of electrostatic charge.<br>Keep away from heat and sources of ignition.<br>Keep in a bunded area.<br>Do not smoke. |
| Hygiene measures                                | : Remove all contaminated clothing under the shower.<br>Wash contaminated clothing before re-use.<br>Do not get in eyes.<br>Avoid contact with skin and clothing.   |
| Fire-fighting class                             | : Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.   |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |
|---|---|
| Requirements for storage areas and containers | : Keep tightly closed.<br>Keep in a well-ventilated place.<br>To prevent leaks or spillages from spreading, provide a suitable liquid retention system.   |
| Further information on storage conditions     | : Keep away from heat and sources of ignition.  |
| Advice on common storage                      | : Do not store together with explosives, gases, oxidizing solids, products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive products.<br>Do not store together with oxidizing and self-igniting products.<br>Do not store together with explosives, oxidizing agents, organ- |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

ic peroxides and infectious products.

Do not store together with acids and ammonium salts.

### 7.3 Specific end use(s)

Specific use(s)

: For further information, refer to the product technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
diphenylamine	122-39-4	TWA	10 mg/m <sup>3</sup>	GB EH40
diphenylamine	122-39-4	STEL	20 mg/m <sup>3</sup>	GB EH40

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

bis(nonylphenyl)amine : End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 0,62 mg/kg  
End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 4,37 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 0,31 mg/kg  
End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 1,09 mg/m<sup>3</sup>  
End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term systemic effects  
Value: 0,31 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

bis(nonylphenyl)amine : Fresh water  
Value: 0,1 mg/l  
Marine water  
Value: 0,01 mg/l  
Fresh water sediment  
Value: 132000 mg/kg  
Marine sediment  
Value: 13200 mg/kg  
Soil

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Value: 263000 mg/kg

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Wear the following personal protective equipment:  
Safety glasses with side-shields conforming to EN166

#### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0,40 mm  
Directive : DIN EN 374  
Viton (R)  
480 min  
0,70 mm  
DIN EN 374  
butyl-rubber  
120 min  
0,70 mm  
DIN EN 374  
Neoprene  
60 min  
0,60 mm  
DIN EN 374

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special work-place conditions (mechanical strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Skin and body protection : Flame retardant protective clothing  
Workers should wear antistatic footwear.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.  
Respirator with filter type A  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.  
Suitable respiratory equipment:  
Self-contained breathing apparatus (EN 133)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: brown
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
pour point	: < -30 °C Method: ISO 3016
	: No data available
Flash point	: > 220 °C Method: ISO 2592
Evaporation rate	: No data available
Burning rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: No data available
Density	: 855 kg/m <sup>3</sup> (15 °C) Method: DIN 51757
Bulk density	: No data available
Water solubility	: < 0,01 g/l (20 °C)
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: not determined
Viscosity, kinematic	: 13,6 mm <sup>2</sup> /s (100 °C) Method: ISO 3104



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

> 20,5 mm<sup>2</sup>/s (40 °C)  
Method: ISO 3104

Flow time : No data available  
Explosive properties : Not explosive  
Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Self-heating substances : No data available  
Impact sensitivity : No data available  
Surface tension : No data available  
Molecular weight : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product is chemically stable.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with strong acids and oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

### Acute toxicity

#### Product:

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Acute toxicity (other routes of administration) : No data available

#### Components:

##### **bis(nonylphenyl)amine:**

Acute oral toxicity : LD50 Rat: > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Based on available data, the classification criteria are not met.

Acute inhalation toxicity : No data available

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Based on available data, the classification criteria are not met.

##### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Acute oral toxicity : LD50 Rat: 2.600 mg/kg  
Method: No information available.  
Test substance: yes  
Harmful by ingestion.

Acute inhalation toxicity : No data available

Acute dermal toxicity : LD50 Rabbit: > 3.160 mg/kg  
Method: OECD Test Guideline 402  
Test substance: yes  
Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

#### Product:

slight irritation  
Non persistent irritation

#### Components:

##### **bis(nonylphenyl)amine:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Species: Rabbit  
Result: No skin irritation  
Method: OECD Test Guideline 404  
Test substance: yes  
Based on available data, the classification criteria are not met.

### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Species: Rabbit  
Exposure time: 4 h  
Result: Skin irritation  
Method: OECD Test Guideline 404  
Irritating to skin.

### **Serious eye damage/eye irritation**

#### **Product:**

Non persistent irritation

#### **Components:**

##### **bis(nonylphenyl)amine:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405  
Test substance: yes  
Based on available data, the classification criteria are not met.

### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Exposure time: 336 h  
Result: Risk of serious damage to eyes.  
Method: 16 CFR 1500.42  
Test substance: yes

### **Respiratory or skin sensitisation**

#### **Product:**

No known sensitising effect.

#### **Components:**

##### **bis(nonylphenyl)amine:**

Test Method: Maximisation Test (GPMT)  
Exposure routes: Skin contact  
Species: Guinea pig  
Result: negative  
Method: OECD Test Guideline 406  
Based on available data, the classification criteria are not met.

### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Exposure routes: Skin contact

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Species: Guinea pig  
Result: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : No data available

Genotoxicity in vivo : No data available

Germ cell mutagenicity- Assessment : No data available

#### Components:

##### **bis(nonylphenyl)amine:**

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Test species: MouseResult: negative

##### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Germ cell mutagenicity- Assessment : No data available

### Carcinogenicity

#### Product:

This information is not available.

Carcinogenicity - Assessment : No data available

#### Components:

##### **bis(nonylphenyl)amine:**

This information is not available.

##### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

This information is not available.

### Reproductive toxicity

#### Product:

Effects on fertility :  
This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Effects on foetal development : This information is not available.

Reproductive toxicity - Assessment : No data available

### Components:

#### **bis(nonylphenyl)amine:**

Effects on fertility : This information is not available.

#### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

No data available

Reproductive toxicity - Assessment : No data available

### **STOT - single exposure**

#### Product:

No data available

#### Components:

#### **bis(nonylphenyl)amine:**

Based on available data, the classification criteria are not met.

#### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

No data available

### **STOT - repeated exposure**

#### Product:

No data available

#### Components:

#### **bis(nonylphenyl)amine:**

Based on available data, the classification criteria are not met.

#### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

No data available

### **Repeated dose toxicity**

#### Product:

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Repeated dose toxicity - Assessment : No data available

### Aspiration toxicity

#### Product:

No data available

#### Components:

##### **bis(nonylphenyl)amine:**

No data available

##### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

No data available

### Further information

#### Product:

No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Toxicity to fish (Chronic toxicity) : No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available

Toxicity to bacteria : No data available

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Toxicity to terrestrial organ- : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

isms

### Ecotoxicology Assessment

- Acute aquatic toxicity : Harmful to aquatic organisms., Harmful to aquatic life.
- Chronic aquatic toxicity : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment., Harmful to aquatic life with long lasting effects.
- Toxicity Data on Soil : No data available
- Other organisms relevant to the environment : No data available

### Components:

#### **bis(nonylphenyl)amine:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: yes  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- Toxicity to bacteria :  
No data available
- Toxicity to fish (Chronic toxicity) : No data available
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available

#### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
Toxic to aquatic organisms.
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 5,4 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
Toxic to aquatic organisms.

Toxicity to algae : EbC50 (Selenastrum capricornutum (green algae)): 2,1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
Toxic to aquatic organisms.

Toxicity to bacteria :  
No data available

Toxicity to fish (Chronic toxicity) : No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Not readily biodegradable.

Biochemical Oxygen Demand (BOD) : Not applicable

Chemical Oxygen Demand (COD) : Not applicable

Dissolved organic carbon (DOC) : Not applicable

Physico-chemical removability : The product is insoluble and floats on water.  
May be separated mechanically in waste water plants.

Impact on Sewage Treatment : No data available

#### **Components:**

##### **bis(nonylphenyl)amine:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: No information available.

**zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 10 mg/l  
Result: not rapidly degradable  
Biodegradation: 1,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Test substance: yes  
According to the results of tests of biodegradability this product is not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Does not bioaccumulate.

#### Components:

##### **bis(nonylphenyl)amine:**

Bioaccumulation : Bioaccumulation

Partition coefficient: n-octanol/water : log Pow: > 7,6

##### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Bioaccumulation : Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 0,9 (23 °C)  
Method: OECD Test Guideline 107

### 12.4 Mobility in soil

#### Product:

Mobility : Do not allow uncontrolled discharge of product into the environment.

Distribution among environmental compartments : No data available

#### Components:

##### **bis(nonylphenyl)amine:**

Stability in soil : Adsorbs on soil.

##### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Stability in soil : Adsorbs on soil.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Components:

#### **bis(nonylphenyl)amine:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).  
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).  
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### 12.6 Other adverse effects

#### Product:

Adsorbed organic bound halogens (AOX) : Product does not contain any organic halogens.

Additional ecological information : Should not be released into the environment.  
Do not let product enter drains.

### Components:

#### **bis(nonylphenyl)amine:**

Additional ecological information : Should not be released into the environment.

#### **zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):**

Additional ecological information : Should not be released into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

13 02 06\*

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

15 01 10\*

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

### SECTION 14: Transport information

#### 14.1 UN number

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

#### 14.2 Proper shipping name

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

#### 14.3 Transport hazard class

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

#### 14.4 Packing group

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods
Special Provisions	: Packed / Inland tanker

#### 14.5 Environmental hazards

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

#### 14.6 Special precautions for user

Remarks	: not required
---------	----------------

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks	: This product is being carried under the scope of MARPOL Annex I
---------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/13/EC on the limitation of emissions of : Exempt  
volatile organic compounds

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-  
accident hazards involving dangerous substances  
Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma-  
jor-accident hazards involving dangerous substances.  
Not applicable

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

### SECTION 16: Other information

#### Full text of R-Phrases

R38 : Irritating to skin.  
R41 : Risk of serious damage to eyes.  
R51/53 : Toxic to aquatic organisms, may cause long-term adverse  
effects in the aquatic environment.  
R53 : May cause long-term adverse effects in the aquatic environ-  
ment.

#### Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H411 : Toxic to aquatic life with long lasting effects.  
H413 : May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Skin Irrit. : Skin irritation

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## LUKOIL GENESIS SPECIAL 5W-40

Version 1.0

Revision Date 13.03.2015

Print Date 08.04.2016

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.