

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LUKOIL GENESIS SPECIAL C4 5W-30
Product code : 563111

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Engine oil
stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Lukoil Lubricants Europe Oy
Ölhafen Lobau – Uferstr. 8
1220 Wien
Austria

Telephone : +43 (1) 205 222 - 8800
Responsible/issuing person : info.product-safety@lukoil.com

1.4 Emergency telephone number

Telephone : +43 (1) 205 222 – 8800
(5d/08:00 – 17:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Material can create slippery conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture
Hydrocarbons
Additives

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. :				
lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	baseoil - unspecified 276-738-4			>= 80 - <= 90
bis(nonylphenyl)amine	36878-20-3 253-249-4	R53	Aquatic Chronic4; H413	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : First aider needs to protect himself.

If inhaled : If breathed in, move person into fresh air.
Move to fresh air in case of accidental inhalation of vapours.

In case of skin contact : Wash skin thoroughly with soap and water or use recognized skin cleanser.
If on clothes, remove clothes.

In case of eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.
Obtain medical attention.
When symptoms persist or in all cases of doubt seek medical advice.

LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Gastrointestinal discomfort Stomach/intestinal disorders Vomiting Pneumonia irritant effects
Risks	: May cause eye irritation. Risk of product entering the lungs on vomiting after ingestion. Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Later control for pneumonia and lung oedema.
-----------	--

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Dry powder Foam Carbon dioxide (CO ₂)
Unsuitable extinguishing media	: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	: Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Cool closed containers exposed to fire with water spray.
---------------------------------------	--

5.3 Advice for firefighters

Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Extinguishing media - large fires Complete suit protecting against chemicals
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Keep people away from and upwind of spill/leak. Use personal protective equipment. First aider needs to protect himself. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.
----------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

The danger areas must be delimited and identified using relevant warning and safety signs.

Refer to section 15 for specific national regulation.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage.
Avoid subsoil penetration.
Do not contaminate water.
Prevent product from entering drains.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.
Soak up with oil absorbent material.
Offer surplus and non-recyclable solutions to a licensed disposal company.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Take care to avoid waste and spillage when weighing, loading and mixing the product.
Avoid formation of aerosol.
Use only in area provided with appropriate exhaust ventilation.
Provide exhaust ventilation close to floor level.
Do not get on skin or clothing.
Avoid inhalation, ingestion and contact with skin and eyes.

Advice on protection against fire and explosion : To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded.
Vapours are heavier than air and may spread along floors.
Vapours may form explosive mixtures with air.
Take measures to prevent the build up of electrostatic charge.
Keep away from heat and sources of ignition.
Keep in a bunded area.
Do not smoke.

Hygiene measures : Remove all contaminated clothing under the shower.
Wash contaminated clothing before re-use.
Do not get in eyes.
Avoid contact with skin and clothing.

Fire-fighting class : Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep tightly closed.
Keep in a well-ventilated place.
To prevent leaks or spillages from spreading, provide a suitable liquid retention system.
- Further information on storage conditions : Keep away from heat and sources of ignition.
- Advice on common storage : Do not store together with explosives, gases, oxidizing solids, products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive products.
Do not store together with oxidizing and self-igniting products.
Do not store together with explosives, oxidizing agents, organic peroxides and infectious products.
Do not store together with acids and ammonium salts.

7.3 Specific end use(s)

- Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

- bis(nonylphenyl)amine : End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 0,62 mg/kg
End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 4,37 mg/m3
End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 0,31 mg/kg
End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 1,09 mg/m3
End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 0,31 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

bis(nonylphenyl)amine : Fresh water
Value: 0,1 mg/l
Marine water
Value: 0,01 mg/l
Fresh water sediment
Value: 132000 mg/kg
Marine sediment
Value: 13200 mg/kg
Soil
Value: 263000 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : Wear the following personal protective equipment:
Safety glasses with side-shields conforming to EN166

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm
Directive : DIN EN 374
Viton (R)
480 min
0,70 mm
DIN EN 374
butyl-rubber
120 min
0,70 mm
DIN EN 374
Neoprene
60 min
0,60 mm
DIN EN 374

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special work-place conditions (mechanical strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Skin and body protection : Flame retardant protective clothing
Workers should wear antistatic footwear.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
Respirator with filter type A
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

ding the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Suitable respiratory equipment:
Self-contained breathing apparatus (EN 133)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: brown
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
pour point	: < -30 °C Method: ISO 3016
	: No data available
Flash point	: > 200 °C Method: ISO 2592
Evaporation rate	: No data available
Burning rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: No data available
Density	: 841 kg/m ³ (20 °C) Method: DIN 51757
Bulk density	: No data available
Water solubility	: < 0,01 g/l (20 °C)
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: not determined
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

Viscosity, dynamic	: not determined
Viscosity, kinematic	: 11,60 mm ² /s (100 °C) Method: ISO 3104
	> 62,2 mm ² /s (40 °C) Method: ISO 3104
Flow time	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Self-heating substances	: No data available
Impact sensitivity	: No data available
Surface tension	: No data available
	: No data available
Molecular weight	: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is chemically stable.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with strong acids and oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 Rat: > 5.000 mg/kg
Information refers to the main component.

Acute inhalation toxicity : LC50 Rat: > 5,53 mg/l
Information refers to the main component.

Acute dermal toxicity : LD50 Dermal Rat: > 2.000 mg/kg
Information refers to the main component.

Acute toxicity (other routes of administration) : No data available

Components:

bis(nonylphenyl)amine:

Acute oral toxicity : LD50 Rat: > 5.000 mg/kg
Method: OECD Test Guideline 401
Based on available data, the classification criteria are not met.

Acute inhalation toxicity : No data available

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg
Method: OECD Test Guideline 402
Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

slight irritation
Non persistent irritation

Components:

bis(nonylphenyl)amine:

Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404
Test substance:yes
Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

Serious eye damage/eye irritation

Product:

Non persistent irritation

Components:

bis(nonylphenyl)amine:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Test substance: yes

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

No known sensitising effect.

Components:

bis(nonylphenyl)amine:

Test Method: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Method: OECD Test Guideline 406

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : No data available

Genotoxicity in vivo : No data available

Germ cell mutagenicity- Assessment : No data available

Components:

bis(nonylphenyl)amine:

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Test species: MouseResult: negative

Carcinogenicity

Product:

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

Carcinogenicity - Assessment : No data available

Components:

bis(nonylphenyl)amine:

This information is not available.

Reproductive toxicity

Product:

Effects on fertility : This information is not available.

Effects on foetal development : This information is not available.

Reproductive toxicity - Assessment : No data available

Components:

bis(nonylphenyl)amine:

Effects on fertility : This information is not available.

STOT - single exposure

Product:

No data available

Components:

bis(nonylphenyl)amine:

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

No data available

Components:

bis(nonylphenyl)amine:

Based on available data, the classification criteria are not met.

Repeated dose toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

Product:

This information is not available.

Repeated dose toxicity - : No data available
Assessment

Aspiration toxicity

Product:

No data available

Components:

bis(nonylphenyl)amine:
No data available

Further information

Product:

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LL50 (Fish): > 100 mg/l
Exposure time: 96 h
Information refers to the main component.

Toxicity to fish (Chronic toxicity) : No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available

Ecotoxicology Assessment
Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Components:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

bis(nonylphenyl)amine:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: yes
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- Toxicity to bacteria :
No data available
- Toxicity to fish (Chronic toxicity) : No data available
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available

12.2 Persistence and degradability

Product:

- Biodegradability : Result: Not readily biodegradable.
- Physico-chemical removability : The product is insoluble and floats on water.
May be separated mechanically in waste water plants.
- Impact on Sewage Treatment : No data available

Components:

bis(nonylphenyl)amine:

- Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not biodegradable
Biodegradation: 1 %
Exposure time: 28 d
Method: No information available.

12.3 Bioaccumulative potential

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

Bioaccumulation : No data available

Components:

bis(nonylphenyl)amine:

Bioaccumulation : Bioaccumulation

Partition coefficient: n-octanol/water : log Pow: > 7,6

12.4 Mobility in soil

Product:

Mobility : Should not be released into the environment.

Distribution among environmental compartments : No data available

Components:

bis(nonylphenyl)amine:

Stability in soil : Adsorbs on soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

bis(nonylphenyl)amine:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Additional ecological information : Should not be released into the environment.
Do not let product enter drains.

Components:

bis(nonylphenyl)amine:

Additional ecological information : Should not be released into the environment.

LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations.
	13 02 06*
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.
	15 01 10*

SECTION 14: Transport information

14.1 UN number

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

14.2 Proper shipping name

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

14.3 Transport hazard class

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

14.4 Packing group

ADR	: Not dangerous goods
RID	: Not dangerous goods
IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods
Special Provisions	: Packed / Inland tanker

14.5 Environmental hazards

ADR	: Not dangerous goods
RID	: Not dangerous goods

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

IMDG	: Not dangerous goods
IATA	: Not dangerous goods
ADN	: Not dangerous goods

14.6 Special precautions for user

Remarks : not required

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : This product is being carried under the scope of MARPOL Annex I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/13/EC on the limitation of emissions of volatile organic compounds : not required under normal use

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances
Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of R-Phrases

R53 : May cause long-term adverse effects in the aquatic environment.

Full text of H-Statements

H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific mate-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C4 5W-30

Version 1.0

Revision Date 13.03.2015

Print Date 11.04.2016

rial designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.